

greenworks COMMERCIAL **82** VOLT LITHIUM

OPTIMUS™

PATENTED QUICK-CUT™ SYSTEM

**30" SINGLE-SIDED
HEDGE TRIMMER
HT301S**

**1000-HOUR
MAINTENANCE
FREE**

**CONSTANT 5000 SPM
& LOW VIBRATION**

OPTIMUS™

30" Single-Sided Hedge Trimmer HT301S

IPX5
WATER RESISTANT

NEW!
2025

SPECIFICATIONS

CUTTING SPEED	4000 / 5000 SPM
CUTTING LENGTH	30"
ROTATING HANDLE	YES
MOTOR	COMMERCIAL-GRADE BRUSHLESS
CUTTING CAPACITY	1.2"
OPERATING WEIGHT	11.6-LBS.
WARRANTY	2-YEAR

**LOW NOISE.
LOW VIBRATION.
NO FUMES.**

HT301S - ERP: 2217402



2-Speed Settings + Variable-Speed Trigger
For Ultimate Control & Runtime Maximization

**Commercial-Grade Brushless Motor with
Patented Quik-Cut™ Cutting System**
For 1000-hrs of Maintenance-Free Operation

Anti-Jam Reverse Function
To effectively unjam snagged
branches & debris

Debris Sweep
For Fast & Easy Debris-Clearing

Laser-Cut, Stainless-Steel Heat-Treated Blades
For Easy & Precise Cutting of up to 1.2-in Branches

greenworks
COMMERCIAL **82**
VOLT
LITHIUM

OPTIMUS™

PATENTED QUICK-CUT™ SYSTEM
24" DOUBLE-SIDED
HEDGE TRIMMER
HT241



**1000-HOUR
MAINTENANCE
FREE**

**CONSTANT 5000 SPM
& LOW VIBRATION**

OPTIMUS™ 24" Double-Sided Hedge Trimmer HT241

SPECIFICATIONS

CUTTING SPEED	4000 / 5000 SPM
CUTTING LENGTH	24"
ROTATING HANDLE	YES
MOTOR	COMMERCIAL-GRADE BRUSHLESS
CUTTING CAPACITY	1.2"
OPERATING WEIGHT	11.5-LBS.
WARRANTY	2-YEAR

HT241 - ERP: 2215702

IPX5
WATER RESISTANT

NEW!
2025

LOW NOISE.
LOW VIBRATION.
NO FUMES.



2-Speed Settings
For Added Efficiency
& Runtime Maximization

**Commercial-Grade
Brushless Motor with Patented
Quick-Cut™ Cutting System**
For 1000-hrs of Maintenance-Free Operation

Anti-Jam Reverse Function
To Effectively Unjam Snagged
Branches & Debris

180° Rotating Rear-Handle
For Added Control &
Improved User Experience

**Laser-Cut, Stainless-Steel
Heat-Treated Blades**
For Easy & Precise Cutting
of up to 1.2" Branches

Ultra Lightweight
Weighs Only 11 lbs.



greenworks **82**
COMMERCIAL VOLT LITHIUM

OPTIMUS™

PATENTED QUICK-CUT™ SYSTEM
24" SHORT-POLE HEDGE TRIMMER
PH302F

**MAX CUTTING
POWER AT
4500 SPM**

**1000-HOUR
MAINTENANCE
FREE**

OPTIMUS™

24" Short-Pole Hedge Trimmer PH302F

SPECIFICATIONS

CUTTING SPEED	4000 / 5000 SPM
CUTTING LENGTH	24"
ROTATING HANDLE	YES
MOTOR	COMMERCIAL-GRADE BRUSHLESS
CUTTING CAPACITY	1.2"
OPERATING WEIGHT	12.3-LBS.
WARRANTY	2-YEAR

PH302F - ERP: 2307702

IPX5
WATER RESISTANT

NEW!
2025

LOW NOISE.
LOW VIBRATION.
NO FUMES.



**Commercial-Grade
Brushless Motor with Patented
Quik-Cut™ Cutting System**
27cc Gas Motor Equivalent

2-Speed Settings
For Added Efficiency
& Runtime Maximization

**Runtime up to
235 Minutes**

Ultra Lightweight
Weighs Only 8.6 lbs.

Anti-Jam Reverse Function
To Effectively Unjam Snagged
Branches & Debris

**Laser-Cut, Stainless-Steel
Heat-Treated Blades**
For Easy & Precise Cutting
of up to 1.2" Branches

greenworks **82**
COMMERCIAL VOLT LITHIUM

OPTIMUS™

PATENTED QUICK-CUT™ SYSTEM
20" MID-POLE ARTICULATING
HEDGE TRIMMER
PH482A

MAX CUTTING
POWER AT
4500 SPM

1000-HOUR
MAINTENANCE
FREE

OPTIMUS™

20" Mid-Pole Articulating Hedge Trimmer PH482A

IPX5
WATER RESISTANT

NEW!
2025

SPECIFICATIONS

CUTTING SPEED	4000 / 4500 SPM
CUTTING LENGTH	20"
ROTATING HANDLE	YES
MOTOR	COMMERCIAL-GRADE BRUSHLESS
CUTTING CAPACITY	1.2"
OPERATING WEIGHT	12.7-LBS.
WARRANTY	2-YEAR

LOW NOISE.
LOW VIBRATION.
NO FUMES.

PH482A - ERP: 2308702



greenworks **82**
COMMERCIAL VOLT LITHIUM

OPTIMUS™

**PATENTED
QUICK-CUT™ SYSTEM**
20" TELESCOPING +
ARTICULATING HEDGE
TRIMMER
PH662T

**MAX CUTTING
POWER AT
4500 SPM**

**1000-HOUR
MAINTENANCE
FREE**

OPTIMUS™

20" Telescoping + Articulating Pole Hedge Trimmer PH662T

IPX5
WATER RESISTANT

NEW!
2025

SPECIFICATIONS

CUTTING SPEED	4000 / 4500 SPM
CUTTING LENGTH	20"
ROTATING HANDLE	YES
MOTOR	COMMERCIAL-GRADE BRUSHLESS
CUTTING CAPACITY	1.2"
OPERATING WEIGHT	11.9-LBS.
WARRANTY	2-YEAR

**LOW NOISE.
LOW VIBRATION.
NO FUMES.**

PH662T - ERP: 2308002

**Commercial-Grade
Brushless Motor with Patented
Quik-Cut™ Cutting System**
27cc Gas Motor Equivalent

2-Speed Settings
For Added Efficiency
& Runtime Maximization

**Runtime up to
205 Minutes**



**Telescoping
Shaft**



Articulating Head

Anti-Jam Reverse Function
To Effectively Unjam Snagged
Branches & Debris

**Laser-Cut, Stainless-Steel
Heat-Treated Blades**
For Easy & Precise Cutting
of up to 1.2" Branches



Ultra Lightweight
Weights Only 11.9 lbs.

HEDGE TRIMMER ACCESSORIES AND SPARE PARTS



**1816702 GWC 28"
Blade Assembly**
For all HT & PHT



**1816802 GWC 24"
Blade Assembly**
For all HT & PHT



**1816902 GWC 20"
Blade Assembly**
For all HT & PHT



**1817002 GWC
Grease**
For all HT & PHT



**1817102 GWC Tip
Cover**
For all HT & PHT



**1817202 GWC 28"
Blade Scabbard**
For all HT & PHT



**1817302 GWC 24"
Blade Scabbard**
For all HT & PHT



**1817402 GWC 20"
Blade Scabbard**
For all HT & PHT



**NEW!
2025**



SPECIFICATIONS

MODEL	HT301S	HT241
ERP	2217402	2215702
CC EQUIVALENT	24cc	27cc
CUTTING SPEED	4000 / 5000 SPM	4000 / 5000 SPM
CUTTING LENGTH	30"	24"
ROTATING HANDLE	YES	YES
MOTOR	COMMERCIAL-GRADE BRUSHLESS	COMMERCIAL-GRADE BRUSHLESS
CUTTING CAPACITY	1.2"	1.2"
OPERATING WEIGHT	11.6-LBS.	11.5-LBS.
WARRANTY	2-YEAR	2-YEAR

**NEW!
2025**



SPECIFICATIONS

MODEL	PH302F	PH482A	PH662T
ERP	2307702	2308702	2308002
CC EQUIVALENT	27cc	27cc	27cc
CUTTING SPEED	4000 / 5000 SPM	4000 / 4500 SPM	4000 / 4500 SPM
CUTTING LENGTH	24"	20"	20"
ROTATING HANDLE	YES	YES	YES
MOTOR	COMMERCIAL-GRADE BRUSHLESS	COMMERCIAL-GRADE BRUSHLESS	COMMERCIAL-GRADE BRUSHLESS
CUTTING CAPACITY	1.2"	1.2"	1.2"
OPERATING WEIGHT	12.3-LBS.	12.7-LBS.	11.9-LBS.
WARRANTY	2-YEAR	2-YEAR	2-YEAR

