

FEATURES & SPECIFICATIONS

- 1 52" or 61" cutter deck with anti-scalp rollers provides a beautiful quality-of-cut.
- 2 Hero™ cutter deck features sealed aluminum spindles with ball bearings that deliver maintenance-free, highperformance operation; 1/2"-thick mounting flange.
- 3 Low-maintenance mower design reduces grease points for operator convenience.
 - · 6.5-gallon total fuel capacity maximizes refueling intervals to save time and get the job done fast. Large, angled fuel neck for easy filling.
 - · Innovative height-of-cut adjustment is guick and conveniently adjusts from 1½" to 5" in ¼" increments.
 - · Commercial-grade, powder coat paint for an attractive, professional finish and increased durability.
 - · Digital hour meter features pre-programmed maintenance reminders.
 - · Low-profile, foldable Roll-Over Protection System (ROPS).
 - Hydro-Gear[®] ZT-3100[®] (SPZ52) or ZT-3400[®] (SPZ61) hydro transaxles (2 independent units with charge pumps and all-metal gears) deliver smooth drive power while spin-on oil filters provide easy maintenance.

- · Extra-low center of gravity for maximum stability over challenging terrain.
- Ground speeds up to 10 mph (SPZ61) or 8.5 mph (SPZ52) for maximum productivity.
- Large front caster tires and extra-large 22" (SPZ52) or 24" (SPZ61) drive tires for solid traction and a smooth ride.





Powerful commercial-grade V-Twin engine options up to 27 hp provide smooth, reliable power.



Convenient operator station puts the mower controls within easy reach.



Cutter-deck-lift foot pedal is spring-assisted and makes raising the cutter deck smooth and easy.



Pierced, extruded-steel footplate is rubber iso-mounted for enhanced comfort.



Torsion-spring suspension seat is easily adjustable and delivers a high level of operator comfort.



Ogura GT2 (108 ft lb) PTO clutch brake for easy deck engagement. Adjustable internal air gap for long life.

ZERO-TURN MOWER MODEL NUMBERS

| | N |
|--------|---|
| | S |
| PATRIO | S |
| PA | S |
| | S |
| | S |
| | S |
| | |







ENGINE

Kawasaki® FX - V-twin

Kawasaki® FX - V-twin

Kohler® 7000 series - V-twin

Kawasaki® FR - V-twin

Kohler® 7000 Series™ PRO - V-twin

Kohler® 7000 Series™ PRO - V-twin





SFZ-48H-24KT

SZL-36H-18FR

SZL-48H-22KT

SZL-61H-26KT

| PZ-61H-23FX | |
|-------------|-----|
| PZ-61H-25CV | 61" |
| PZ-61H-25ZT | 01 |

| | 61" | 25 | Kohler® Command PRO® – V-twin |
|--|-----|----|-------------------------------|
| | | 25 | Kohler® Confidant® – V-twin |
| | | 27 | Briggs CXi Series™ |

24

18

22

26

23



| SFZ-48H-25CX | 40 | 25 | Briggs CXi Series™ - V-twin |
|--------------|-----|----|------------------------------|
| SFZ-52H-25CX | 52" | 25 | Briggs CXi Series™ - V-twin |
| SFZ-52H-26KT | | 26 | Kohler® 7000 series – V-twin |

48"



| SZL-36H-20KT | 36" | 20 | Kohler® 7000 series – V-twin |
|--------------|-----|----|------------------------------|
| SZL-36H-20PX | | 20 | Briggs PXi Series™ - V-twin |
| SZL-42H-21FR | | 21 | Kawasaki® FR – V-twin |
| S71-42H-22KT | 42" | 22 | Kohler® 7000 series – V-twin |

| 9 | SZL-42H-22KT | 42" | 22 | Kohler® 7000 series – V-twin |
|---|--------------|-----|----|------------------------------|
| | SZL-42H-22PX | | 22 | Briggs PXi Series™ - V-twin |
| | SZL-48H-21FR | | 21 | Kawasaki® FR – V-twin |

48"

| SZL-48H-24SR | 24 | Scag® SR Series - V-twin |
|--------------|----|-----------------------------------|
| SZL-52H-23FR | 23 | Kawasaki® FR – V-twin |
| SZL-52H-24KT | 24 | Kohler® 7000 Series™ PRO - V-twin |

| SZL-52H-24SR | 52 | 24 | Scag® SR Series – V-twin |
|--------------|----|----|-----------------------------|
| SZL-52H-24PX | | 24 | Briggs PXi Series™ - V-twin |
| SZL-61H-24FR | | 24 | Kawasaki® FR – V-twin |

| SZL-61H-25PX | 25 | Briggs PXi Series™ – V-twir |
|--------------|----|-----------------------------|
| SZL-61H-27SR | 27 | Scag® SR Series - V-twin |

61"



| MODEL NUMBER | DECK WIDTH | kWh | BATTERY |
|--------------|------------|-----|---|
| SEVZ-52H | 52" | 5 | Vanguard® Commercial Lithium Ion Battery – Fixed to Machine |
| | | | |



WARRANTIES

Since Scag® Power Equipment was established in 1983, we've built an industry-wide reputation for producing reliable, heavy-duty commercial equipment. We are proud of the quality of our mowers and their well-earned reputation for durability. The Scag warranty policy shows our commitment to you and to the products we manufacture. See your local Scag dealer for details on the warranty policy or reference the Limited Warranty Statement included in your operator's manual.

TURF TIGER II, CHEETAH II, TIGER CAT II, **V-RIDE II, SWZ & SW WARRANTY**

2-YEAR COMMERCIAL MACHINE WARRANTY*

Frame and structural components including oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors are covered for two years of commercial use. This warranty covers manufacturing defects for two years, including parts and labor (excludes wear items).

3-YEAR CUTTER DECK SPINDLE WARRANTY*

Velocity Plus[™] and Advantage[™] cutter decks are equipped with the exclusive Scag heavy-duty, cast-iron cutter blade spindle. We ensure our spindle's dependability, not only through its top-quality construction, but also through complete coverage of parts and labor for the first and second years, and parts only for the third year. Applies to commercial and non-commercial use.

3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY* Frame and structural components including oil reservoirs. fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors are covered for three years or 500 hours (whichever comes first) of non-commercial use. This warranty covers manufacturing defects for three years or 500 hours (whichever comes first), including parts and labor (excludes wear items).

PATRIOT, EVZ & SWZT WARRANTY

2-YEAR COMMERCIAL MACHINE WARRANTY* 3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

FREEDOM Z & SFC WARRANTY

1-YEAR COMMERCIAL MACHINE WARRANTY* 3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

LIBERTY Z WARRANTY

5-YEAR OR 750-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

SPINDLE LIMITED WARRANTY*

Spindle assemblies have a limited warranty for five years or 750 hours (whichever comes first). The first and second years of the warranty cover parts and labor. The third through fifth years cover parts only for non-commercial use.

AERSTORM AERATOR, TURF STORM SPREADER-SPRAYERS, TRUCK LOADERS, WINDSTORM. EXTREME PRO BLOWER & EXTREME BLOWER WARRANTY

2-YEAR COMMERCIAL MACHINE WARRANTY*

Frame and structural components including frame, blower housing, oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors (where applicable) are covered for two years of commercial use. This warranty covers manufacturing defects for two years, including parts and labor (excludes wear items).

CLASSIC BLOWER WARRANTY

1-YEAR COMMERCIAL MACHINE WARRANTY* 2-YEAR NON-COMMERCIAL** MACHINE WARRANTY*

ALL PRODUCTS

90-DAY WEAR ITEM WARRANTY & RENTAL USE*

Wear items, including drive belts, blades, hydraulic hoses, tires and batteries, and rental use are warranted for 90 days.

ENGINE WARRANTY

Engines and engine components are covered by the individual engine manufacturer. See engine owner's manual for warranty period and details.

SCAG EXTENDED WARRANTY PROGRAM

Scag's new Extended Warranty Program is better than ever. Protect your investment and enjoy peace-of-mind knowing that your Scag equipment is covered for years to come. Consult with your Scag Dealer for more information.

- * Warranty time periods are from the date of purchase, are only applicable to the original owner and are non-transferable. Warranty does not cover wear items, misuse, abuse, lack of maintenance, etc. See the Limited Warranty Statement in your owner's manual for more details
- ** "Non-Commercial" is defined as single-property usage, where the single property is the residence of the owner of the product. If the product is being used on more than the owner's single property, it is deemed commercial use and this warranty does not apply. Scag Power Equipment reserves the right to deny and/or void this warranty if evidence clearly points to commercial use.