

WORLD PROVEN
WORLD CLASS



WORLDLAWN[®]
POWER EQUIPMENT

BELT DRIVEN WALK BEHIND

FEATURES

- 2-year commercial warranty
- Ergonomically designed hand grips and controls
- Recoil and electric start options
- Easy pull pin height adjustment on floating deck
- Great for hard-to-reach, narrow spaces
- Discharge, mulch, or collect

WY MODELS



Walk Behind | Grass Catcher



Walk Behind

28" WALK BEHINDS

MODEL NUMBER	WY28X11BS	WY28X11BSE	WY28X11HD
LENGTH	60.5"	60.5"	60.5"
WIDTH	38"	38"	38"
WIDTH W/ DEFLECTOR UP	30"	30"	30"
WHEELBASE	28.1"	28.1"	28.1"
WHEEL TRACK WIDTH	22.6"	22.6"	22.6"
WEIGHT	314 lbs	347 lbs	324 lbs
FRONT TIRES	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth
REAR TIRES	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel	11 ga. Steel
CUT WIDTH	28	28	28
CUTTING HEIGHTS	1.5" - 4"	1.5" - 4"	1.5" - 4"
PTO	Manual	Manual	Manual
FUEL CAPACITY	2	2	2
ENGINE BRAND	B&S	B&S	Honda
ENGINE HP	10.5	10.5	10.7
FORWARD SPEED	3.55 mph	3.55 mph	3.55 mph
POWERED REVERSE	No	No	No
BLADES	2 - 14.5"	2 - 14.5"	2 - 14.5"
TRANSMISSION	3-Speed Forward	3-Speed Forward	3-Speed Forward

32" WALK BEHINDS

MODEL NUMBER	WY32X11BS	WY32X11BSE	WY32X11HD	WY32X11HDE
LENGTH	66.1"	66.1"	66.1"	66.1"
WIDTH	41.3"	41.3"	41.3"	41.3"
WIDTH W/ DEFLECTOR UP	32.8"	32.8"	32.8"	32.8"
WHEELBASE	31.8"	31.8"	31.8"	31.8"
WHEEL TRACK WIDTH	23.7"	23.7"	23.7"	23.7"
WEIGHT	333 lbs	366 lbs	349 lbs	433 lbs
FRONT TIRES	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth
REAR TIRES	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel	11 ga. Steel	11 ga. Steel
CUT WIDTH	32	32	32	32
CUTTING HEIGHTS	1.5" - 4"	1.5" - 4"	1.5" - 4"	1.5" - 4"
PTO	Manual	Manual	Manual	Manual
FUEL CAPACITY	2	2	2	2
ENGINE BRAND	B&S	B&S	Honda	Honda
ENGINE HP	10.5	10.5	10.7	10.7
FORWARD SPEED	3.55 mph	3.55 mph	3.55 mph	3.55 mph
POWERED REVERSE	No	No	No	No
BLADES	2 - 16.5"	2 - 16.5"	2 - 16.5"	2 - 16.5"
TRANSMISSION	3-Speed Forward	3-Speed Forward	3-Speed Forward	3-Speed Forward

BELT DRIVEN WALK BEHIND

Get smart design, tough construction, an even cut and great value with Worldlawn's Belt Series. There is a size for every job with 32", 36" and 48" deck options with large rear tires for maximum traction and heavy duty front casters for maneuverability.

FEATURES

- 3-year commercial and residential warranty
- Unique belt transmission system to guarantee long lifetime
- Stand-on sulky available
- Ergonomically designed hand grips, controls promote ease-of-use, and operator comfort
- Kawasaki FS Series



BELT SERIES | Front View

WYW MODELS

3 YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY YEARS



32", 36", AND 48" WALK BEHINDS


MODEL NUMBER	WYW32FS481V	WYW36FS481V	WYW48FS481V
LENGTH	73"	73"	73"
WIDTH	43.5"	47"	59.5"
WIDTH W/ DEFLECTOR UP	33"	36.5"	49"
WHEELBASE	31"	35"	35"
WHEEL TRACK WIDTH	26.5"	28.5"	28.5"
WEIGHT	432 lbs	452 lbs	512 lbs
FRONT TIRES	4.10 - 3.50 x 4 smooth	4.10 - 3.50 x 4 smooth	4.10 - 3.50 x 4 smooth
REAR TIRES	13 - 5.00 x 6 turf	13 - 6.50 x 6 turf	13 - 6.50 x 6 turf
DECK MATERIAL	10 ga. Steel	10 ga. Steel	10 ga. Steel
CUT WIDTH	32	36	48
CUTTING HEIGHTS	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric	Electric
FUEL CAPACITY	4	4	4
ENGINE BRAND	KAW	KAW	KAW
ENGINE HP	14.5	14.5	14.5
FORWARD SPEED	5 mph	5 mph	5 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	2 - 16.25"	2 - 18"	3 - 16.25"
TRANSMISSION	5-Speed w/ Reverse	5-Speed w/ Reverse	5-Speed w/ Reverse



HYDRO DRIVEN WALK BEHIND

FEATURES

- Floating decks
- Long life, maintenance free spindles
- Dual pumps and wheel motors
- Side discharge, bag, or mulching capabilities
- Easy to operate controls
- Remote Discharge Control (RDC) standard on floating deck only
- Simple track-on-the-go adjustment (tool-less design)
- Kawasaki FS Series Engine
- 3-year commercial and residential warranty



Walk Behind | Remote Discharge Control
Float Deck Only

WYW MODELS

3 YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



36" AND 48" HYDRO FLOATING DECK

MODEL NUMBER	WYW36FS481VHF	WYW48FS481VHF
LENGTH	73"	73"
WIDTH	47"	59.5"
WIDTH W/ DEFLECTOR UP	36.5"	49"
WHEELBASE	35"	41"
WHEEL TRACK WIDTH	28.5"	35"
WEIGHT	533 lbs	542 lbs
FRONT TIRES	4.10 - 3.50 x 4 smooth	4.10 - 3.50 x 4 smooth
REAR TIRES	16 - 6.50 x 8 turf	16 - 6.50 x 8 turf
DECK MATERIAL	10 ga. Steel	10 ga. Steel
CUT WIDTH	36	48
CUTTING HEIGHTS	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric
FUEL CAPACITY	4	4
ENGINE BRAND	KAW	KAW
ENGINE HP	14.5	14.5
FORWARD SPEED	6.5 mph	6.5 mph
POWERED REVERSE	Yes	Yes
BLADES	2 - 18"	3 - 16.25"
TRANSMISSION	Hydro-Gear PE 10cc Pump	Hydro-Gear PE 10cc Pump
FINAL DRIVE	Parker TE0230 Motor	Parker TE0230 Motor



VIPER

FEATURES

- Fabricated steel deck with front reinforcement
- Hydro-Gear EZT transmissions on 42" & 46" mower
- Hydro-Gear ZT-2800 transmissions on 50" and 60" mower
- Discharge, mulch, or collect
- 3-year residential warranty

3 YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY 3 YEAR



42" AND 46" VIPER

MODEL NUMBER	WYZ42X22LS	WYZ46XP22LS
LENGTH	72"	72"
WIDTH	51"	55"
WIDTH W/ DEFLECTOR UP	43.5"	47.5"
WHEELBASE	44"	44"
WHEEL TRACK WIDTH	33.8"	33.8"
WEIGHT	520 lbs	544 lbs
FRONT TIRES	11 - 4.00 x 5 smooth	11 - 4.00 x 5 smooth
REAR TIRES	18 - 8.5 x 8 turf	18 - 9.5 x 8 turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel
CUT WIDTH	42	46
CUTTING HEIGHTS	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric
FUEL CAPACITY	4	4
ENGINE BRAND	Loncin w/HD filter	Loncin w/HD filter
ENGINE HP	21.5	21.5
FORWARD SPEED	7 mph	7 mph
POWERED REVERSE	Yes	Yes
BLADES	3 - 14.5"	3 - 16"
TRANSMISSION	Hydro-Gear EZT	Hydro-Gear EZT

50" AND 60" VIPER XP

MODEL NUMBER	WYZ50XP22LS	WYZ60XP24LS
LENGTH	72"	72"
WIDTH	59"	68.5"
WIDTH W/ DEFLECTOR UP	51"	61"
WHEELBASE	44"	44"
WHEEL TRACK WIDTH	33.8"	33.8"
WEIGHT	590 lbs	637 lbs
FRONT TIRES	13 - 5.00 x 6 smooth	13 - 5.00 x 6 smooth
REAR TIRES	20 - 10.00 x 8 turf	20 - 10.00 X 8 turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel
CUT WIDTH	50	60
CUTTING HEIGHTS	1.5" - 4.5"	1.5" - 4.5"
PTO	Electric	Electric
FUEL CAPACITY	4	4
ENGINE BRAND	Loncin w/HD filter	Loncin w/HD filter
ENGINE HP	21.5	24
FORWARD SPEED	7 mph	7 mph
POWERED REVERSE	Yes	Yes
BLADES	3 - 17.3"	3 - 20.5"
TRANSMISSION	Hydro-Gear ZT-2800	Hydro-Gear ZT-2800

STRIKE

The Strike blends the tough durability and professional quality of a commercial mower with the affordability of a homeowner machine. But the Strike is not your typical residential lawn mower. With its welded frame, fabricated deck, and 10-year deck warranty, it gives you value that will last.

FEATURES

- Long life, maintenance-free spindles
- Side discharge, bag, or mulching capabilities
- Easy-to-operate controls
- Zero turning radius trimming ability
- Wide track rear wheel base
- 3-year residential parts and labor warranty
- 10-year limited deck warranty

3 YEAR
PARTS & LABOR
LIMITED
DECK **10**
YEAR
WARRANTY



34" STRIKE

MODEL NUMBER	WYZ34K20
LENGTH	73"
WIDTH	41.5"
WIDTH W/ DEFLECTOR UP	35"
WHEELBASE	43"
WHEEL TRACK WIDTH	33.5"
WEIGHT	720 lbs
FRONT TIRES	4.10 - 3.50 x 4 smooth
REAR TIRES	18 - 7.50 x 8 turf
DECK MATERIAL	7 ga. Steel
CUT WIDTH	34
CUTTING HEIGHTS	1" - 4.5"
PTO	Electric
FUEL CAPACITY	6
ENGINE BRAND	KAW
ENGINE HP	18
FORWARD SPEED	8 mph
POWERED REVERSE	Yes
BLADES	1 - 14.25", 1 - 20.25"
TRANSMISSION	Hydro-Gear EZT



GATER

Can't get your zero turn through the 36" gates? The 34" Gater will get you in, out and onto the next property, leaving behind a beautiful cut while saving you money along the way.

FEATURES

- 34" Deck to get through 36" gates
- 10 ga. fabricated floating steel deck reinforced with 7 ga. top plate and side skirts
- Hydro-Gear ZT-3100 Transmissions
- Small footprint to allow more on your trailer
- Discharge, mulch, or collect
- 2-year commercial warranty



34" GATER

MODEL NUMBER	WYZ34FS600V
LENGTH	73"
WIDTH	45"
WIDTH W/ DEFLECTOR UP	35"
WHEELBASE	43"
WHEEL TRACK WIDTH	33.5"
WEIGHT	770 lbs
FRONT TIRES	4.10 - 3.50 x 4 smooth
REAR TIRES	18 - 7.50 x 10 turf
DECK MATERIAL	7 ga. Steel
CUT WIDTH	34
CUTTING HEIGHTS	1" - 4.5"
PTO	Electric
FUEL CAPACITY	6
ENGINE BRAND	KAW
ENGINE HP	18
FORWARD SPEED	8 mph
POWERED REVERSE	Yes
BLADES	1 - 14.25", 1 - 20.25"
TRANSMISSION	Hydro-Gear ZT-3100



DIAMONDBACK

FEATURES

- 3200 Hydro-Gear transmissions
- R.O.P.S. standard
- Triple layer spindle support
- Discharge, mulch, or collect
- FR Kawasaki Series Engine
- Worldlawn 803 V-Twin
- 3-year commercial warranty

3 YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



48", 52" AND 60" DIAMONDBACK

MODEL NUMBER	WYDB48LS2P82F32	WYDB52LS2P82F32	WYDB60LS2P82F32
LENGTH	77.4"	77.4"	77.4"
WIDTH	60"	65.5"	73"
WIDTH W/ DEFLECTOR UP	49"	53"	61"
WHEELBASE	50.5"	50.5"	50.5"
WHEEL TRACK WIDTH	47"	49.5"	49.5"
WEIGHT	920 lbs	950 lbs	1020 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	23 - 9.50 x 12 turf	23 - 10.50 x 12 turf	23 - 10.50 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel	8 ga. Steel
CUT WIDTH	48	52	60
CUTTING HEIGHTS	1.5" - 4.75"	1.5" - 4.75"	1.5" - 4.75"
PTO	Electric	Electric	Electric
FUEL CAPACITY	9.5	9.5	9.5
ENGINE BRAND	Worldlawn V-Twin	Worldlawn V-Twin	Worldlawn V-Twin
ENGINE HP	24	24	24
FORWARD SPEED	9 mph	9 mph	9 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 16.25"	3 - 18"	3 - 20"
TRANSMISSION	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200

48", 52" AND 60" DIAMONDBACK WITH KAWASAKI

MODEL NUMBER	WYDB48FR691V32	WYDB52FR691V32	WYDB60FR730V32
LENGTH	77.4"	77.4"	77.4"
WIDTH	60"	65.5"	73"
WIDTH W/ DEFLECTOR UP	49"	53"	61"
WHEELBASE	50.5"	50.5"	50.5"
WHEEL TRACK WIDTH	47"	49.5"	49.5"
WEIGHT	920 lbs	950 lbs	1020 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	23 - 9.50 x 12 turf	23 - 10.50 x 12 turf	23 - 10.50 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel	8 ga. Steel
CUT WIDTH	48	52	60
CUTTING HEIGHTS	1.5" - 4.75"	1.5" - 4.75"	1.5" - 4.75"
PTO	Electric	Electric	Electric
FUEL CAPACITY	9.5	9.5	9.5
ENGINE BRAND	KAW	KAW	KAW
ENGINE HP	23	23	24
FORWARD SPEED	9 mph	9 mph	9 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 16.25"	3 - 18"	3 - 20"
TRANSMISSION	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200

DIAMONDBACK XP

FEATURES

- 3400 Hydro-Gear transmissions
- R.O.P.S. standard
- Triple layer spindle support
- Discharge, mulch, or collect
- Kawasaki FX Series Engines
- Mid Back Suspension Seat
- 16 gallon fuel capacity
- Aggressive turf tires
- 3-year commercial warranty

3 YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY YEAR



52" AND 60" DIAMONDBACK XP

MODEL NUMBER	WYDB52FX691V34P	WYDB60FX730V34P
LENGTH	77.4"	77.4"
WIDTH	65.5"	73"
WIDTH W/ DEFLECTOR UP	53"	61"
WHEELBASE	50.5"	50.5"
WHEEL TRACK WIDTH	49.5"	49.5"
WEIGHT	950 lbs	1020 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	23 - 10.50 x 12 turf	23 - 10.50 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	52	60
CUTTING HEIGHTS	1.5" - 4.75"	1.5" - 4.75"
PTO	Electric	Electric
FUEL CAPACITY	16	16
ENGINE BRAND	KAW	KAW
ENGINE HP	22	23.5
FORWARD SPEED	10 mph	10 mph
POWERED REVERSE	Yes	Yes
BLADES	3 - 18"	3 - 20"
TRANSMISSION	Hydro-Gear ZT-3400	Hydro-Gear ZT-3400



ELECTRIC DIAMONDBACK

FEATURES

- LED Display
- 16 kw/hr Battery
- 13 Position Deck Height Adjustable
- 2.5 kw/hr Drive Motors
- 1.8 kw/hr Blade Motors
- Fabricated 8 Gauge Deck
- 1¼ receiver mounts on front and back
- 5 Year / 2000 Hour Warranty



HI/LOW WHEEL SPEED
RUN TIME UP TO 6 HRS



HI/LOW BLADE SPEED
UP TO 9 ACRES PER CHARGE



Digital Display

5 YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



52" AND 60" ELECTRIC DIAMONDBACK


MODEL NUMBER	WYDB52L16	WYDB60L16
BATTERY TYPE	Battery LFP	Battery LFP
BATTERY CAPACITY	210Ah/16kwh	210Ah/16kwh
BATTERY RATED VOLTAGE	76.8V	76.8V
BATTERY CHARGE TIME	7-14 hours	7-14 hours
BATTERY RUN TIME	4 - 5.5 hours	4 - 5.5 hours
CUTTING MOTOR TYPE	Brushless	Brushless
CUTTING WIDTH	52"	60"
DECK MATERIAL	7 ga. Steel	7 ga. Steel
NUMBER OF BLADES	3	3
BLADE ROTARY SPEED	Variable	Variable
FORWARD SPEED	9 mph	9 mph
REVERSE SPEED	4 mph	4 mph
CUTTING HEIGHTS	1.5"-4.75"/13 position	1.5"-4.75"/13 position
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	24 - 9.5 x 12 turf	24 - 9.5 x 12 turf
DECK TYPE	Side discharge	Side discharge
LED HEADLIGHTS	Yes	Yes
NET WEIGHT	1411 lbs	1466 lbs



KING COBRA

FEATURES

- Kawasaki FX Series Engines
- Maintenance free sealed non-greasable spindles
- Single point height setting with four fine adjustments
- Suspension seat standard
- Triple laminate cutter housing mounting
- Hydro-Gear ZT-4400 and 5400 Transmissions
- Discharge, mulch, or collect
- 8 ga. steel deck
- Standard R.O.P.S.
- 3-year commercial warranty



King Cobra | Floating Foot Platform



52" KING COBRA

MODEL NUMBER	WYK52FX801V4	WYK52FX801V5
LENGTH	78"	78"
WIDTH	65"	65"
WIDTH W/ DEFLECTOR UP	53"	53"
WHEELBASE	50.5"	50.5"
WHEEL TRACK WIDTH	47"	47"
WEIGHT	1050 lbs	1050 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	24 - 9.50 x 12 turf	24 - 9.50 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	52	52
CUTTING HEIGHTS	1" - 5.25"	1" - 5.25"
PTO	Electric	Electric
FUEL CAPACITY	14	14
ENGINE BRAND	KAW	KAW
ENGINE HP	25.5	25.5
FORWARD SPEED	12 mph	12 mph
POWERED REVERSE	Yes	Yes
BLADES	3 - 18"	3 - 18"
TRANSMISSION	Hydro-Gear ZT-4400	Hydro-Gear ZT-5400

60" KING COBRA

MODEL NUMBER	WYK60FX850V5X	WYK60FX921V5S
LENGTH	79"	79"
WIDTH	73"	73"
WIDTH W/ DEFLECTOR UP	61"	61"
WHEELBASE	54.5"	54.5"
WHEEL TRACK WIDTH	50"	50"
WEIGHT	1110 lbs	1120 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	24 - 12 x 12 turf	24 - 12 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	60	60
CUTTING HEIGHTS	1" - 5.25"	1" - 5.25"
PTO	Electric	Electric
FUEL CAPACITY	14	14
ENGINE BRAND	KAW	KAW
ENGINE HP	27	31
FORWARD SPEED	12 mph	12 mph
POWERED REVERSE	Yes	Yes
BLADES	3 - 20"	3 - 20"
TRANSMISSION	Hydro-Gear ZT-5400	Hydro-Gear ZT-5400

KING COBRA MAXX

FEATURES

- More powerful 35 HP Kawasaki FX1000 engine
- Maintenance free sealed non-greasable spindles
- Single point height setting with four fine adjustments
- Upgraded suspension seat
- Michelin Tweels or Kenda Turf Steel airless drive tires
- Semi-pneumatic front casters
- Triple laminate cutter housing mounting
- Hydro-Gear ZT-5400 transmissions
- Discharge, mulch, or collect
- 8 ga. steel deck
- Standard R.O.P.S.
- 3-year commercial warranty



3 YEAR
PARTS & LABOR
LIMITED
DECK 10 YEAR
WARRANTY



King Cobra Maxx | Engine View

60" KING COBRA MAXX

MODEL NUMBER	WYK60FX1000V5S	WYK60FX1000V5M
LENGTH	79"	79"
WIDTH	73"	73"
WIDTH W/ DEFLECTOR UP	61"	61"
WHEELBASE	54.5"	54.5"
WHEEL TRACK WIDTH	50"	50"
WEIGHT	1150 lbs	1130 lbs
FRONT TIRES	13 - 6.50 x 6 semi-pneumatic	13 - 6.50 x 6 semi-pneumatic
REAR TIRES	24 - 12 x 12 Kenda Turf Steel	24 - 12 x 12 Michelin Tweel
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	60	60
CUTTING HEIGHTS	1" - 5.25"	1" - 5.25"
PTO	Electric	Electric
FUEL CAPACITY	14	14
ENGINE BRAND	KAW	KAW
ENGINE HP	35	35
FORWARD SPEED	12 mph	12 mph
POWERED REVERSE	Yes	Yes
BLADES	3 - 20"	3 - 20"
TRANSMISSION	Hydro-Gear ZT-5400	Hydro-Gear ZT-5400



PYTHON

FEATURES

- Electric Deck Lift
- Articulating Front End
- Suspension Seat
- 1¼ receiver mounts on front and back
- 3-year commercial warranty
- Powered by: Kawasaki or B&S Vanguard BIG BLOCK 37 EFI
- Hydro-Gear ZT-5400
- Isolated Foot Platform
- Available in Rear or Side Discharge



Python | Control Panel



3 YEAR
PARTS & LABOR
LIMITED
DECK 10 YEAR
WARRANTY



60" AND 72" PYTHON

MODEL NUMBER	WYP60FX921V5	WYP72FX1000V5	WYP72BSV37EV5
LENGTH	91"	91"	91"
WIDTH	73"	86"	86"
WIDTH W/ DEFLECTOR UP	61"	73"	73"
WHEELBASE	57"	61"	61"
WHEEL TRACK WIDTH	46.5"	49"	49"
WEIGHT	1410 lbs	1550 lbs	1570 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	26 - 10.50 x 12 turf	26 - 12 x 12 turf	26 - 12 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel	8 ga. Steel
CUT WIDTH	60	72	72
CUTTING HEIGHTS	1.5" - 5.5"	1.5" - 5.5"	1.5" - 5.5"
PTO	Electric	Electric	Electric
FUEL CAPACITY	14	14	14
ENGINE BRAND	KAW	KAW	B&S
ENGINE HP	31	35	37
FORWARD SPEED	12 mph	12 mph	12 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 20.5"	3 - 24.5"	3 - 24.5"
TRANSMISSION	Hydro-Gear ZT-5400	Hydro-Gear ZT-5400	Hydro-Gear ZT-5400

72" PYTHON REAR DISCHARGE

MODEL NUMBER	WYP72FX1000V5RD	WYP72BSV37EV5RD
LENGTH	91"	91"
WIDTH	73"	73"
WHEELBASE	61"	61"
WHEEL TRACK WIDTH	49"	49"
WEIGHT	1570 lbs	1590 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	26 - 12 x 12 turf	26 - 12 x 12 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	72	72
CUTTING HEIGHTS	1.5" - 5.5"	1.5" - 5.5"
PTO	Electric	Electric
FUEL CAPACITY	14	14
ENGINE BRAND	KAW	B&S
ENGINE HP	35	37
FORWARD SPEED	12 mph	12 mph
POWERED REVERSE	Yes	Yes
BLADES	3 - 24.5"	3 - 24.5"
TRANSMISSION	Hydro-Gear ZT-5400	Hydro-Gear ZT-5400

VENOM

FEATURES

- 8 ga. steel floating deck
- 10 point suspension platform
- Powered by Kawasaki FX730V or FS600V Engines
- Remote Discharge Control (RDC) is an option on all models
- Fold up operator platform to convert to walk behind and allow more units on trailers
- Height adjustment knob for a precise cut
- 3-year commercial warranty



3 YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



Venom | Control Panel



Venom | Kawasaki Engine



Venom | Shown With Bagger

32" AND 36" VENOM

MODEL NUMBER	WYS32FS600VL	WYS36FS600VL
LENGTH	67.5"	67.5"
WIDTH	45"	48"
WIDTH W/ DEFLECTOR UP	37.4"	40"
WHEELBASE	31.5"	34.5"
WHEEL TRACK WIDTH	25"	26.5"
WEIGHT	690 lbs	700 lbs
FRONT TIRES	11 - 4.0 x 5 smooth	11 - 4.0 x 5 smooth
REAR TIRES	18 - 7.50 x 10 turf	18 - 8.50 x 10 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	32	36
CUTTING HEIGHTS	1.5" - 5"	1.5" - 5"
PTO	Electric	Electric
FUEL CAPACITY	4.5	4.5
ENGINE BRAND	KAW	KAW
ENGINE HP	18	18
FORWARD SPEED	8 mph	8 mph
POWERED REVERSE	Yes	Yes
BLADES	2 - 16"	2 - 18"
TRANSMISSION	Parker HTE	Parker HTE

48", 52" AND 60" VENOM

MODEL NUMBER	WYS48FX730VX	WYS52FX730VX	WYS60FX730VX
LENGTH	74"	74"	74"
WIDTH	60"	65.5"	73"
WIDTH W/ DEFLECTOR UP	49"	53"	61"
WHEELBASE	42.5"	45"	45"
WHEEL TRACK WIDTH	33"	34.75"	34.75"
WEIGHT	880 lbs	895 lbs	916 lbs
FRONT TIRES	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth	13 - 6.50 x 6 smooth
REAR TIRES	22 - 10.0 x 10 turf	22 - 11.0 x 10 turf	22 - 11.0 x 10 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel	8 ga. Steel
CUT WIDTH	48	52	60
CUTTING HEIGHTS	1.5" - 5"	1.5" - 5"	1.5" - 5"
PTO	Electric	Electric	Electric
FUEL CAPACITY	8	8	8
ENGINE BRAND	KAW	KAW	KAW
ENGINE HP	23.5	23.5	23.5
FORWARD SPEED	10.5 mph	10.5 mph	10.5 mph
POWERED REVERSE	Yes	Yes	Yes
BLADES	3 - 16.25"	3 - 18"	3 - 20"
TRANSMISSION	Parker HTJ	Parker HTJ	Parker HTJ

ELECTRIC VENOM

FEATURES

- Led Display
- 8 kw/hr battery
- 7 position deck height adjustment
- Fabricated 8 Gauge Deck
- 1¼ receiver mount on front
- 5 Year / 2000 Hour Warranty



HI/LOW WHEEL SPEED
RUN TIME UP TO 6 HRS



HI/LOW BLADE SPEED
UP TO 3.5 ACRES PER CHARGE



5 YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY **10**
YEAR

32" ELECTRIC VENOM

MODEL NUMBER	WYS32L8	WYS36L8
BATTERY TYPE	Battery LFP	Battery LFP
BATTERY CAPACITY	120Ah/9.2kwh	120Ah/9.2kwh
BATTERY RATED VOLTAGE	76.8V	76.8V
BATTERY CHARGE TIME	4.5-8.5 hours	4.5-8.5 hours
BATTERY RUN TIME	Up to 6 hours	Up to 6 hours
CUTTING MOTOR TYPE	Brushless	Brushless
CUTTING WIDTH	32"	36"
DECK MATERIAL	11 ga. Steel	11 ga. Steel
NUMBER OF BLADES	2	2
BLADE ROTARY SPEED	Variable	Variable
FORWARD SPEED	8 mph	8 mph
REVERSE SPEED	3 mph	3 mph
CUTTING HEIGHTS	1.5"-5" / 7 position	1.5"-5" / 7 position
FRONT TIRES	11 - 4.00 x 5 smooth	11 - 4.00 x 5 smooth
REAR TIRES	18 - 7.5 x 8 turf	18 - 7.5 x 8 turf
DECK TYPE	Side discharge	Side discharge
LED HEADLIGHTS	Yes	Yes
NET WEIGHT	551 LBS	640 LBS



Digital Display



Charging Port

SIDEWINDER

Cut those big jobs down to size with the Sidewinder tow-behind. Pull it with an ATV/UTV or use the adjustable tongue angle to cover twice the area behind your existing mower. With a floating deck and a pivoting tongue, you will get a smooth cut over nearly any terrain.

FEATURES

- Convenient single point hand-crank allows more precise cut height
- Adjustable tongue angle means you can offset the mower to the left or right
- 3-year commercial warranty
- Pivoting tongue to handle all types of terrain
- Rear discharge on 72" and side discharge on 60"
- B&S Commercial Turf Engine

3YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY YEARS



60" AND 72" SIDEWINDER

MODEL NUMBER	WYT60CT656SD	WYT72CT724RD
LENGTH	138"	142"
WIDTH	73"	73"
WIDTH W/ DEFLECTOR UP	61"	N/A
WHEELBASE	40.5"	51.5"
WHEEL TRACK WIDTH	34"	46"
WEIGHT	425 lbs	810 lbs
FRONT TIRES	13 - 5.00 x 6 turf	13 - 6.50 x 6 turf
REAR TIRES	13 - 5.00 x 6 turf	13 - 6.50 x 6 turf
DECK MATERIAL	8 ga. Steel	8 ga. Steel
CUT WIDTH	60	72
CUTTING HEIGHTS	1.5" - 5"	1.5" - 5"
PTO	Electric	Electric
FUEL CAPACITY	4.5	4.5
ENGINE BRAND	B&S	B&S
ENGINE HP	16	22
BLADES	3 - 20.5"	3 - 24.5"
TRANSMISSION	N/A	N/A



POWER-THATCH

Get down to the root of the problem with the Power-Thatch. With 28 blades and 5 height settings, make easy work of clearing out small roots, leaves, grass clippings and other small vegetation.

FEATURES

- Five height settings
- Hardened steel blades
- Ergonomic folding handle
- 5.5 Hp B&S Engine
- 1-year warranty

1 YEAR
PARTS & LABOR
LIMITED
DECK 10
WARRANTY



POWER-THATCH

MODEL NUMBER	WRSA20N-BS50
LENGTH	30.5"
WIDTH	27"
WEIGHT	138 lbs
FRONT TIRES	8 x 1.75 semi-pneumatic
REAR TIRES	10 x 2.75 semi-pneumatic
CUTTING HEIGHTS	.125" - 1.125"
PTO	Manual
FUEL CAPACITY	2 Quarts
ENGINE BRAND	B&S
ENGINE HP	5.5
POWERED REVERSE	No
BLADES	28 - 9 ga. Hardened



WHO WE ARE

Based in Beatrice, Nebraska, Worldlawn Power Equipment emphasizes quality machines at a great value. Worldlawn Power Equipment manufactures outdoor power equipment that currently includes professional and residential lawnmowers and snow throwers. Worldlawn challenges its engineers to continue to provide the market with top-of-the-line products through improving current models and designing new machines with the latest technology and components. It is through this innovation that Worldlawn consistently provides a powerful product at a powerful price.







WORLDLAWN[®]
POWER EQUIPMENT

401 N COMMERCE STREET • PO BOX 888
BEATRICE, NE 68310

Part #943188
5000.2.24.V13.0